

05/1/2015

Date of Issue:

Material Safety Data Sheet (SDS)

Elyptol Antimicrobial Hand Gel

SECTION 1 - IDENTIFICATION OF MATERIAL AND SUPPLIER

Product Name: Elyptol Antimicrobial Hand Gel

Other Names: Elyptol Antibacterial, Antimicrobial & Moisturizing Hand Sanitizing Gel

Effective Date: 05/01/2015

Recommended Uses: Topical skin antisepsis, instant hand sanitizer, surgical hand sanitizing Gel.

Company: Elyptol Inc.
FDA Reg (NDC Code): 69343
DUNS No: 079594781

Address: Elyptol Inc. 2500 Broadway, Building F, Suite F-125, Santa Monica, CA 90403, USA

Contact Tel No: +1 424 500 80 99

Website URL: http://www.elvptol.com

Emergency: Contact your local emergency control Centre. Poison's Information Centre 1-800-222-1222

Elyptol Emergency No: +1 (888) 424-9874

Transportation Emergency (24 Hour) Contact INFOTRAC North America: +1-800-535-5053

Outside North America: +1-352-323-3500

Medical Emergencies: Contact your local poison control centre. **HMIS Rating**: Health 1, Flammability 3, Physical hazard 0

DOT: CONSUMER COMMODITY, ORM-D

IATA: CONSUMER COMMODITY, ID8000, Class 9

IMDG: UN1170, ETHANOL SOLUTION, Class 3, LTD QTY

SECTION 2 – HAZARDS IDENTIFICATION

HAZARDOUS SUBSTANCE

DANGEROUS GOODS FLAMMIBLE LIQUID CONTENT



Emergency Overview:

The liquid material contained in the product packaging and if in bulk, is a flammable liquid. Storage and handling is to be followed as per the product labels, the shipper packaging and this SDS. Hazard Classification: Flammable Liquid, Cat. 3 Signal Word(s): Warning Hazard Symbol(s):

Hazard Statement: Flammable liquid and vapor.

RISK			
•	R10	Flammable liquid Class 3	
•	UN1170	Ethanol Solution	
•	Packaging	2	
	Group		

SAFETY				
■ S2	Keep out of reach of children			
■ S7	Keep container tightly closed			
■ S16	Keep away from sources of ignition -			
	No Smoking			

Precautionary Statements:

- FLAMMABLE. Keep away from fire or flame.
- Avoid contact with eyes. In case of eye contact, flush thoroughly with water and if pain persists seek medical attention.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200, WHMIS under the HPA (Canada), or ESIS (Europe).

<u>Chemical Name</u>	<u>CAS Number</u>	Proportion %
Ethanol 95BP	64-17-5	70 v/v
Eucalyptus Oil	84625-32-1	-
Eucalyptol/Cineole 99.5% USP/BP	470-82-6	< 10

Note:

- * The excipient ingredients are listed by the FDA as GRAS
- * The active substance is 70% v/v ethanol undenatured listed by the FDA as GRASE 1

SECTION 4 – FIRST AID MEASURES FOR SPILL EXPOSURE

	If availaged do NOT induce veniting
	If swallowed do NOT induce vomiting.
	 Unpalatable and will cause reflux to occur.
	 If vomiting occurs, lean patient forward or place on left side (head-down position, if
	possible) to maintain open airway and prevent aspiration.
	 Observe the patient carefully.
	 Never give liquid to a person showing signs of being sleepy or with reduced
Swallowed	awareness; i.e. becoming unconscious.
	 Contains alcohol, if stupor, seek medical attention for potential alcohol inducement
	 Contains Cineole, Seek medical attention if swallowed as can cause stomach intestinal problems.
	<u> </u>
	 Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
	Seek medical advice.
	If this product comes in contact with the eyes:
	 Flush eye with fresh running water for a minimum of 15 minutes, keep moving the
	eyes to ensure complete flushing.
	 Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and
Eye	moving the eyelids by occasionally lifting the upper and lower lids.
Lye	 Seek medical attention without delay; if pain persists or recurs seek medical
	attention.
	 Removal of contact lenses after an eye injury should only be undertaken by skilled
	personnel.
	 Seek Medical attention promptly if irritation persists or loss of vision occurs.
	 Immediately remove contaminated clothing. Wash / rinse contaminated skin with
Skin	water.
SKIN	 Seek medical attention if Irritation occurs. Launder contaminated clothing before re-
	use.
Inhaled	 Over exposure may cause dryness of throat.
imaiea	 Drink water, & seek medical attention if unwell.
Notes to	If poisoning occurs, contact a doctor or Poisons Information Centre right away 1-800-222-
Physician	1222. There is no specific antidotes. Treat symptomatically as for poisons.



SECTION 5 – FIRE FIGHTING MEASURES

	 Use water spray or fog.
Extinguishing Media	 Dry chemical powder.
	 Alcohol stable foam.
	Carbon dioxide.
	 Liquid and vapor are flammable.
Fire/Explosion Hazard	 Low fire hazard when exposed to heat or flame.
	 Burning can produce carbon monoxide and/or carbon dioxide.
	 No applicable hazards are known to be associated with this product.
	 Alert fire brigade and tell them the fire location.
	 Use water to cool exposed containers.
	 If safe to do so, remove containers from path of fire.
Precautions For Firefighters	 For major fires or where atmosphere is Oxygen deficient or contains
and Special Protective	unacceptable levels of combustion products, firefighters must wear
Equipment	self-contained breathing apparatus with full-face mask and protective
	clothing.
	 If safe, switch off electrical equipment until vapor fire hazard is
	removed.
	 Thermal decomposition may include oxides of carbon and nitrogen.
Fire incompatibility	Avoid contamination with strong oxidizing agents as ignition may result.
1	
	■ 2Y
	 Flash Point & Method 24^oC (76^oF) Flammability Class OSHA
HAZCHEM	Flammable Liquid, Class IC Tag Closed Cup Flammability Limits (%
	by vol) Lower Upper 3.3%* 19.0%* (*for ethanol)
	Flash Point & Method 24°C (76°F) Flammability Class OSHA
Other	Flammable Liquid, Class IC Tag Closed Cup Flammability Limits (%
	by vol) Lower Upper 3.3%* 19.0%* (*for ethanol)
	25 125 25 10 oppor 510 /6 101 chances

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures	 Spills should be reportable to the National Response Center
	 If spark or flame is present, evacuate area and call the NRC.
Prevent Area from Spark or	 Wear appropriate personal protective equipment to prevent skin and eye contamination and breathing of vapors.
Flame	■ Isolate hazard area.
	 Keep unnecessary and unprotected personnel from entering.
	 Ventilate area well and ensure the atmosphere is safe before allowing
	personnel to return to the work area.
	Contain and recover gel when possible.
Methods and Materials for	 Collect Gel in an appropriate container and place in a chemical waste
Containment and Clean Up	container.
Procedures	 Collected Gel can then be disposed of through local government waste removal services.



SECTION 7 – HANDLING & STORAGE

	•	Protect against physical damage.
	•	Make certain the containers are well sealed and upright when not in
Precautions for Safe Handling		use.
	•	Keep away from Children.
	•	Use good occupational work practice.
•	•	Observe manufacturer's storing and handling requirements.
	•	Store in a cool, dry well ventilated location away from direct sunlight.
Conditions for Safe Storage		Keep containers upright & closed at all times.
Incompatibilities	•	Not to be stored with explosives, flammable gases in bulk, poisonous
incompatibilities		gases, spontaneously combustible substances, oxidizing agents,
		organic peroxides or radioactive substances.
	•	Store in original containers and packaging in approved flammable
Storage Requirements		liquid storage areas.
	•	DO NOT store in pits, depressions, basements,

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

EU & USP Exposure Standards		
Ethanol		TWA- 1000ppm (1,880 mg/m3) STEL – None Allocated Carcinogen Category – None Allocated Notices – None Allocated As published by EPA and global EU Health and Safety standards TWA is an Exposure Standard for a time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life. According to the current knowledge this concentration should neither impair the health nor cause any undue discomfort to nearly all workers. STEL (Short Term Exposure Limit) is the average airborne concentration over a 15 minute period which should not be exceeded
Incompatibilities	•	at any time over an 8-hour working day. Not to be stored with explosives, flammable gases in bulk, poisonous gases, spontaneously combustible substances, oxidizing agents, organic peroxides or radioactive substances.
Storage Requirements	•	Store in original containers and packaging in approved flammable liquid storage areas. DO NOT store in pits, depressions, basements,
Engineering Controls	•	Local and/or general exhaust is recommended to keep employee exposures below the Permissible Exposure Limits.
Personal Protective Equipment for major spills:	•	Safety eyewear gloves and organic vapors respirator to protect from exposure.
Eye Protection	•	Chemical safety goggles or safety glasses with side shields. Maintain eye wash fountain and drench facilities in the work area.
Skin Protection	•	Impervious protective clothing (gloves, lab coat, apron or coveralls, as appropriate) to prevent skin contact. Neoprene and Nitrile Gelber are recommended materials.
Respiratory Equipment	•	None required under normal circumstances if engineering, storage and



handling controls are adequate. In high vapor concentrations or confined areas where vapor concentration is likely to exceed 400ppm an approved respirator with organic vapor cartridge must be worn.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

•	•	Plastic PET container containing Eucalyptus scented alcoholic liquid
Appearance		Gel solution. Eucalyptus Oil scent low, alcohol scent low.
Odor	•	5. 5 – 7.5PH
Vapour Pressure	•	N/A
Vapour Density	•	2.1 (Air = 1)
Boiling Point/Range	•	Not Applicable
Melting Point	-	Not Applicable
Solubility	•	Not Applicable
Specific Gravity	•	Not Applicable
Flash Point	•	17 deg C tag closed cup
Lower Explosive Limit	•	3.3%
Upper Explosive Limit	•	19%
Ignition Temperature	•	>200 deg C
Volatile Organic Content	•	>80% v/v
Percent Volatile	-	>80% v/v

SECTION 10 – STABILITY & REACTIVITY

Chemical Stability	•	Stable
Conditions to Avoid	•	Heat, sparks, flame and build-up of static electricity
Incompatible Materials	•	Will react with strong oxidizing agents
Hazardous Decomposition	•	Soot, Carbon Dioxide, Carbon Monoxide
Products		
Hazardous Reactions	•	Will not polymerize

SECTION 11 – TOXICOLOGICAL INFORMATION

Inhaled	•	Mild irritation to the nose, throat and upper respiratory tract can occur at concentrations above 7000ppm. Higher concentrations can lead to throat dryness and vomiting. Not known to cause asthma or allergy reactions.
Swallowed		Accidental ingestion of the material may be damaging to the health of the individual. Ingestion of alcohol may produce nausea, vomiting, gastrointestinal bleeding, abdominal pain and diarrhea. Small amount may cause throat irritation and vomiting. Large amount [1 litre+] will cause severe stomach cramps, nausea, vomiting, drowsiness.
Eye	•	The vapor is irritating to the eyes at concentrations above 7000ppm. Direct eye contact with the product may cause eye irritation, including pain and redness.
Skin	•	Non primary skin irritant – Non primary skin sensitizer – dermatology tested. Recommended Not for baby skin
Acute Effects - Acute Toxicity	•	LD50/oral/rat NA



	•	LD50/dermal/rat NA
	•	LC50/inhalation/rat NA
	•	Irritant dose/dermal/rabbit NA
	•	Irritant dose/ocular/rabbit NA
	•	Not listed as carcinogen when used as directed
Long Term Effects Chronic	•	When used as according to directions, there are no long term negative
		effects expected.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity	•	Toxicity to fish N/A.
Persistence and	•	Degree of elimination >90%
Degradability		
Mobility	•	No data is available on mobility in soil.
Environmental Impact	•	The product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Empty packaging components are compatible with the conventional solid waste management practices for normal waste recycling
Not tested on Animals		

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal	 Dispose of container and unused contents in accordance with federal, state and local requirements.
Lid & Container	 Empty container and lid can be recycled as per local government waste recycling regulations.
Content	 Product content must not be disposed of to the sewerage system, drains or waterways.
Disposal Methods	 Unused product is RCRA ignitable hazardous waste (D001). Dispose of according to local, state, and federal regulation

SECTION 14 – TRANSPORT INFORMATION

Labels Required			FLAMMABLE LIQUID
Marine Pollutant	•	No (HAZCHEM: 2YE; 2Y	
IMDG (vessel) UN1170 E	ΓHANOL S	OLUTION 3 III, LTD QTY	FLAMMABLE LIQUID
UN number	•	1170	
Class	•	3	
Packaging Group	•	2	





Subsidiary Risk EU	•	S 25, S 29, S 46, S 47, S 59, S 62	
Packaging Group	•	2	
Hazchem Code	•	2Y	
Special Precautions	•	Not to be stored with explosives, flammable gases in bulk, poisonous	
		gases, spontaneously combustible substances, oxidizing agents,	
		organic peroxides or radioactive substances, near sparks or ignition.	
Nicko	•	This product is a Class 3 Dangerous Good as content is flammable due	
Note		to Alcohol content	

SECTION 15 – REGULATORY INFORMATION

Classification	 USA FDA This product is regulated as an Over-The-Counter (OTC) drug under the Federal Food, Drug, and Cosmetics Act and complies with 		
	FDA regulations.		
Poisons Schedule	 Not Scheduled 		
USA FDA	 This product is regulated as an Over-The-Counter (OTC) drug under the Federal Food, Drug, and Cosmetics Act and complies with FDA regulations. 		
EPA SARA Title III Sections	 None or none present in regulated quantities. 		
302/304, 311/312, and 313			
chemical listings:			
CAA Section 112 listings (TQ)	None		
CERLCA Reportable Quantity			
(RQ): RCRA D001/Unlisted			
Ignitable Hazardous Waste			
Ethyl Alcohol = 100 lbs.			
California Proposition 65	This product is not subject to warning labeling. State Right-To-Know The following ingredients are present in the finished product and are listed on the following state right-to-know lists:		
	Ingredient CAS No. Percent State		
	Ethyl Alcohol 64-17-5 MA, NJ, PA, RI, Canada.		
	This product is regulated as a Natural Health Product (NHP) under the		
	Food and Drugs Act and complies with Health Canada regulations. All		
	chemical components of this product are listed on DSL, NDSL, ICL or		
	exempt.		
Europe EU Classification	Category 3 - Flammable liquid and vapor.		
EU Risk Phrases	R10 - Flammable.		
EU Safety Phrases	S 6 Keep out of reach of children. Keep away from eyes.		
Green	Certified for Green Procurement.		
* If swallowed, seek medical advi	ice immediately and show this container or label.		
* Please dispose of empty contain			



SECTION 16 – OTHER INFORMATION & CONTACT POINTS

om or topical			
<u> </u>			
ıs			
emed to			
rub			
' the EN			
dy.			
he			
itions.			
007-LI-			
Licence			
No:			
on Web			
on web			
nd Edition			
National Code of Practice for the Preparation of Material Safety Data Sheets 2 nd Edition [NOHSC:2011 (2003)]			
C:2012			
National Code of Practice for the Labelling of Workplace Substances [NOHSC:2012 (1994)]			
Dermatest - Technical Consultancy Services Pty Ltd 20 King St Rockdale NSW 2216			
Australia			
AMS Laboratories Pty Ltd - 8 Rachael Close Silverwater NSW 2128Australia			
List of Designated Hazardous Substances [NOHSC:10005 (1999)]			
Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)] 3rd			
Edition Storage and Handling of Workplace Dangerous Goods [NOHSC:2017 (2001)]			
b Site			
o site			
ıs Goods -			
nd			
Australian Standards AS 1940-1993 The storage and handling of flammable and combustible liquids			
ge of			
-			



http://www.unece.org/trans/danger/adnreg2005.html

United Nations ADR 2005 (The European Agreement concerning the International Carriage of Dangerous Goods by Road)

http://www.unece.org/trans/danger/publi/adr/adr e.html

UN Recommendations on the Transport of Dangerous Goods. Model Regulations. Thirteenth revised edition.

http://www.unece.org/trans/danger/publi/unrec/rev13/13files e.html

Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008 (1995)] 3rd Edition (Updated for Amendments)

http://www.nohsc.gov.au/OHSInformation/NOHSCPublications/fulltext/docs/h3/34.htm

Australian Inventory of Chemical Substances http://www.nicnas.gov.au/obligations/aics/

CSR Distilleries Operations Pty. Ltd. Material Safety Data Sheet Ethanol 03/2005.

Legend ACGIH American Conference of Governmental ICL In-Commerce List (Canada) Industrial Hygienists IMO International Maritime Organization CAA Clean Air Act N/A Not Applicable CAS Chemical Abstract Service NDSL Non-Domestic Substances List (Canada) CERCLA CERCLA Hazardous Substances N/E Not Established CFR Code of Federal Regulations NTP National Toxicology Program DOT Department of Transportation OSHA Occupational Safety & Health Administration DSL Domestic Substances List (Canada) PEL Permissible Exposure Limits EINECS European Inventory of Existing RCRA Resource Conservation and Recovery Act Chemical Substances SARA Superfund Amendments and Reauthorizations Act EPA Environmental Protection Agency TLV Threshold Limit Values FDA Food and Drug Administration TQ Threshold Quantities HPA Hazardous Products Act (Canada) TWA Time Weighted Average IARC International Agency for Research on Cancer VOC Volatile Organic Compounds IATA International Air Transport Association WHMIS Workplace Hazardous Materials Information System.

Elyptol Inc.

2500 Broadway

Suite F-125

Santa Monica, CA 90404

SDS formatted to Globally Harmonized

System.Contact
Information

www.elyptol.com

The information contained in this material safety data sheet was obtained from current and reliable sources. It is the user's responsibility to use the products as directed by the labelling. Please use as directed, in order to determine safe conditions for use of these products. The user will assume for loss, injury, damage or expense resulting from any improper use of these products. Products is flammable due to alcohol content and for external use only.



05/1/2015

Date of Issue:

Elyptol Antimicrobial Hand Rub

SECTION 1 - IDENTIFICATION OF MATERIAL AND SUPPLIER

Product Name: Elyptol Antimicrobial Hand Rub

Other Names: Elyptol Antibacterial, Antimicrobial & Moisturizing Hand Sanitizing Rub

Effective Date: 05/01/2015

Recommended Uses: Topical skin antiseptic, instant hand sanitizer, surgical hand sanitizing Rub.

Company: Elyptol Inc.

FDA Reg (NDC Code): 69343

DUNS No: 079594781

Address: Elyptol Inc. 2500 Broadway, Building F, Suite F-125, Santa Monica, CA 90403, USA

Contact Tel No: +1 424 500 80 99

Website URL: http://www.elyptol.com

Emergency: Contact your local emergency control Centre. Poison's Information Centre 1-800-222-1222

Elyptol Emergency No: +1 (888) 424-9874

Transportation Emergency (24 Hour) Contact INFOTRAC North America: +1-800-535-5053

Outside North America: +1-352-323-3500

Medical Emergencies: Contact your local poison control centre. **HMIS Rating**: Health 1, Flammability 3, Physical hazard 0

DOT: CONSUMER COMMODITY, ORM-D

IATA: CONSUMER COMMODITY, ID8000, Class 9

IMDG: UN1170, ETHANOL SOLUTION, Class 3, LTD QTY

SECTION 2 – HAZARDS IDENTIFICATION

HAZARDOUS SUBSTANCE

DANGEROUS GOODS FLAMMIBLE LIQUID CONTENT



Emergency Overview:

The liquid material contained in the product packaging and if in bulk, is a flammable liquid. Storage and handling is to be followed as per the product labels, the shipper packaging and this SDS.

Hazard Classification: Flammable Liquid, Cat. 3 Signal Word(s): Warning Hazard Symbol(s):

Hazard Statement: Flammable liquid and vapor.

	RISK		
•	R10	Flammable liquid Class 3	
•	UN1170	Ethanol Solution	
•	Packaging	2	
	Group		

SAFETY			
■ S2	Keep out of reach of children		
■ S7	Keep container tightly closed		
• S16	Keep away from sources of ignition – No Smoking		

Precautionary Statements:

- FLAMMABLE. Keep away from fire or flame.
- Avoid contact with eyes. In case of eye contact, flush thoroughly with water and if pain persists seek medical attention.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200, WHMIS under the HPA (Canada), or ESIS (Europe).

<u>Chemical Name</u>	<u>CAS Number</u>	Proportion %
Ethanol 95BP	64-17-5	70 v/v
Eucalyptus Oil	84625-32-1	-
Eucalyptol/Cineole 99.5% USP/BP	470-82-6	< 10

Note:

- * The excipient ingredients are listed by the FDA as GRAS
- * The active substance is 70% v/v ethanol undenatured listed by the FDA as GRASE 1

SECTION 4 – FIRST AID MEASURES FOR SPILL EXPOSURE

Swallowed	 If swallowed do NOT induce vomiting. Unpalatable and will cause reflux to occur. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Contains alcohol, if stupor, seek medical attention for potential alcohol inducement Contains Cineole, Seek medical attention if swallowed as can cause stomach intestinal
	 problems. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.
Eye	 If this product comes in contact with the eyes: Flush eye with fresh running water for a minimum of 15 minutes, keep moving the eyes to ensure complete flushing. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. Seek Medical attention promptly if irritation persists or loss of vision occurs.
Skin	 Immediately remove contaminated clothing. Wash / rinse contaminated skin with water. Seek medical attention if Irritation occurs. Launder contaminated clothing before reuse.
Inhaled	Over exposure may cause dryness of throat.Drink water, & seek medical attention if unwell.
Notes to Physician	If poisoning occurs, contact a doctor or Poisons Information Centre right away 1-800-222-1222. There is no specific antidotes. Treat symptomatically as for poisons.



SECTION 5 – FIRE FIGHTING MEASURES

	 Use water spray or fog. 		
Extinguishing Media	 Dry chemical powder. 		
	 Alcohol stable foam. 		
	Carbon dioxide.		
	 Liquid and vapor are flammable. 		
Fire/Explosion Hazard	 Low fire hazard when exposed to heat or flame. 		
	 Burning can produce carbon monoxide and/or carbon dioxide. 		
	 No applicable hazards are known to be associated with this product. 		
	 Alert fire brigade and tell them the fire location. 		
	 Use water to cool exposed containers. 		
	 If safe to do so, remove containers from path of fire. 		
Precautions For Firefighters	 For major fires or where atmosphere is Oxygen deficient or contains 		
and Special Protective	unacceptable levels of combustion products, firefighters must wear		
Equipment	self-contained breathing apparatus with full-face mask and protective		
	clothing.		
	 If safe, switch off electrical equipment until vapor fire hazard is 		
	removed.		
	 Thermal decomposition may include oxides of carbon and nitrogen. 		
Fire incompatibility	Avoid contamination with strong oxidizing agents as ignition may result.		
1			
	■ 2Y		
	 Flash Point & Method 24^oC (76^oF) Flammability Class OSHA 		
HAZCHEM	Flammable Liquid, Class IC Tag Closed Cup Flammability Limits (%		
	by vol) Lower Upper 3.3%* 19.0%* (*for ethanol)		
	Flash Point & Method 24°C (76°F) Flammability Class OSHA		
Other	Flammable Liquid, Class IC Tag Closed Cup Flammability Limits (%		
	by vol) Lower Upper 3.3%* 19.0%* (*for ethanol)		
	25 127 20 121 oppor 010/0 1210/0 (101 culturol)		

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures	•	Spills should be reportable to the National Response Center
	•	If spark or flame is present, evacuate area and call the NRC.
Prevent Area from Spark or	•	Wear appropriate personal protective equipment to prevent skin and eye contamination and breathing of vapors.
Flame	-	Isolate hazard area.
	-	Keep unnecessary and unprotected personnel from entering.
	•	Ventilate area well and ensure the atmosphere is safe before allowing personnel to return to the work area.
	•	Contain and recover Rub when possible.
Methods and Materials for Containment and Clean Up	•	Collect Rub in an appropriate container and place in a chemical waste container.
Procedures	•	Collected Rub can then be disposed of through local government waste removal services.



SECTION 7 – HANDLING & STORAGE

•	Protect against physical damage.
•	Make certain the containers are well sealed and upright when not in
Precautions for Safe Handling	use.
•	Keep away from Children.
•	Use good occupational work practice.
•	Observe manufacturer's storing and handling requirements.
Conditions for Safa Storage	Store in a cool, dry well ventilated location away from direct sunlight.
Conditions for Safe Storage	Keep containers upright & closed at all times.
Incompatibilities	Not to be stored with explosives, flammable gases in bulk, poisonous
incompatibilities	gases, spontaneously combustible substances, oxidizing agents,
	organic peroxides or radioactive substances.
•	Store in original containers and packaging in approved flammable
Storage Requirements	liquid storage areas.
•	DO NOT store in pits, depressions, basements,

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

EU & USP Exposure Standards		
Ethanol	:	TWA- 1000ppm (1,880 mg/m3) STEL – None Allocated Carcinogen Category – None Allocated Notices – None Allocated As published by EPA and global EU Health and Safety standards TWA is an Exposure Standard for a time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life. According to the current knowledge this concentration should neither impair the health nor cause any undue discomfort to nearly all workers. STEL (Short Term Exposure Limit) is the average airborne concentration over a 15 minute period which should not be exceeded at any time over an 8-hour working day.
Incompatibilities	•	Not to be stored with explosives, flammable gases in bulk, poisonous gases, spontaneously combustible substances, oxidizing agents, organic peroxides or radioactive substances.
Storage Requirements	•	Store in original containers and packaging in approved flammable liquid storage areas. DO NOT store in pits, depressions, basements,
Engineering Controls	•	Local and/or general exhaust is recommended to keep employee exposures below the Permissible Exposure Limits.
Personal Protective Equipment for major spills:	•	Safety eyewear gloves and organic vapors respirator to protect from exposure.
Eye Protection	•	Chemical safety goggles or safety glasses with side shields. Maintain eye wash fountain and drench facilities in the work area.
Skin Protection	•	Impervious protective clothing (gloves, lab coat, apron or coveralls, as appropriate) to prevent skin contact. Neoprene and Nitrile Rubber are recommended materials.
Respiratory Equipment	•	None required under normal circumstances if engineering, storage and



handling controls are adequate. In high vapor concentrations or confined areas where vapor concentration is likely to exceed 400ppm an approved respirator with organic vapor cartridge must be worn.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance	•	Plastic PET container containing Eucalyptus scented alcoholic liquid
		Rub solution. Eucalyptus Oil scent low, alcohol scent low.
Odor	•	5. 5 - 7.5PH
Vapour Pressure	•	N/A
Vapour Density	•	2.1 (Air = 1)
Boiling Point/Range	•	Not Applicable
Melting Point	•	Not Applicable
Solubility	•	Not Applicable
Specific Gravity	•	Not Applicable
Flash Point	•	17 deg C tag closed cup
Lower Explosive Limit	•	3.3%
Upper Explosive Limit	•	19%
Ignition Temperature	•	>200 deg C
Volatile Organic Content	•	>80% v/v
Percent Volatile	•	>80% v/v

SECTION 10 – STABILITY & REACTIVITY

Chemical Stability	•	Stable
Conditions to Avoid	•	Heat, sparks, flame and build-up of static electricity
Incompatible Materials	•	Will react with strong oxidizing agents
Hazardous Decomposition	•	Soot, Carbon Dioxide, Carbon Monoxide
Products		
Hazardous Reactions	•	Will not polymerize

SECTION 11 – TOXICOLOGICAL INFORMATION

Inhaled	•	Mild irritation to the nose, throat and upper respiratory tract can occur at concentrations above 7000ppm. Higher concentrations can lead to throat dryness and vomiting. Not known to cause asthma or allergy reactions.
Swallowed		Accidental ingestion of the material may be damaging to the health of the individual. Ingestion of alcohol may produce nausea, vomiting, gastrointestinal bleeding, abdominal pain and diarrhea. Small amount may cause throat irritation and vomiting. Large amount [1 litre+] will cause severe stomach cramps, nausea, vomiting, drowsiness.
Eye	•	The vapor is irritating to the eyes at concentrations above 7000ppm. Direct eye contact with the product may cause eye irritation, including pain and redness.
Skin	•	Non primary skin irritant – Non primary skin sensitizer – dermatology tested. Recommended Not for baby skin
Acute Effects - Acute Toxicity	•	LD50/oral/rat NA



	•	LD50/dermal/rat NA
	•	LC50/inhalation/rat NA
	•	Irritant dose/dermal/rabbit NA
	•	Irritant dose/ocular/rabbit NA
	•	Not listed as carcinogen when used as directed
Long Term Effects Chronic	•	When used as according to directions, there are no long term negative
		effects expected.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity	•	Toxicity to fish N/A.	
Persistence and	-	Degree of elimination >90%	
Degradability			
Mobility	•	No data is available on mobility in soil.	
Environmental Impact	•	The product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Empty packaging components are compatible with the conventional solid waste management practices for normal waste recycling	
Not tested on Animals			

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal	 Dispose of container and unused contents in accordance with federal, state and local requirements.
Lid & Container	 Empty container and lid can be recycled as per local government waste recycling regulations.
Content	 Product content must not be disposed of to the sewerage system, drains or waterways.
Disposal Methods	 Unused product is RCRA ignitable hazardous waste (D001). Dispose of according to local, state, and federal regulation

SECTION 14 – TRANSPORT INFORMATION

Labels Required			FLAMMABLE LIQUID
Marine Pollutant	•	No (HAZCHEM: 2YE; 2Y	
IMDG (vessel) UN1170 E	ΓHANOL S	OLUTION 3 III, LTD QTY	FLAMMABLE LIQUID
UN number	•	1170	
Class	•	3	
Packaging Group	•	2	





Subsidiary Risk EU	•	S 25, S 29, S 46, S 47, S 59, S 62
Packaging Group	•	2
Hazchem Code	•	2Y
Special Precautions	•	Not to be stored with explosives, flammable gases in bulk, poisonous gases, spontaneously combustible substances, oxidizing agents,
		organic peroxides or radioactive substances, near sparks or ignition.
Note	•	This product is a Class 3 Dangerous Good as content is flammable due
Note		to Alcohol content

SECTION 15 – REGULATORY INFORMATION

Classification	 USA FDA This product is regulated as an Over-The-Counter (OTC) drug under the Federal Food, Drug, and Cosmetics Act and complies with 		
	FDA regulations.		
Poisons Schedule	 Not Scheduled 		
USA FDA	 This product is regulated as an Over-The-Counter (OTC) drug under the Federal Food, Drug, and Cosmetics Act and complies with FDA regulations. 		
EPA SARA Title III Sections	None or none present in regulated quantities.		
302/304, 311/312, and 313			
chemical listings:			
CAA Section 112 listings (TQ)	None		
CERLCA Reportable Quantity			
(RQ): RCRA D001/Unlisted			
Ignitable Hazardous Waste			
Ethyl Alcohol = 100 lbs.			
California Proposition 65	This product is not subject to warning labeling. State Right-To-Know The following ingredients are present in the finished product and are listed on the following state right-to-know lists:		
	Ingredient CAS No. Percent State		
	Ethyl Alcohol 64-17-5 MA, NJ, PA, RI, Canada.		
	This product is regulated as a Natural Health Product (NHP) under the		
	Food and Drugs Act and complies with Health Canada regulations. All		
	chemical components of this product are listed on DSL, NDSL, ICL or exempt.		
Europe EU Classification	Category 3 - Flammable liquid and vapor.		
EU Risk Phrases	R10 – Flammable.		
EU Safety Phrases	S 6 Keep out of reach of children. Keep away from eyes.		
Green	Certified for Green Procurement.		
* If swallowed, seek medical advi	ce immediately and show this container or label.		
* Please dispose of empty contain			
	•		



SECTION 16 – OTHER INFORMATION & CONTACT POINTS

Contact	 Further information can be obtained from Elyptol Inc. www.elyptol.com 					
Reason for issue:	 Elyptol Inc. products made in USA according to FDA TFM monogram for topical 					
neuson for issue.	skin antiseptics					
Issue Date:	• 05/01/2015					
Document Name:	SDS Elyptol Inc. Antimicrobial Hand Rub					
Further Information:	Elyptol Inc. <u>www.elyptol.com</u>					
Elyptol Rubs	 Have been dermatology tested and repeat skin patch tested, deemed as primary non skin irritant or sensitiser. Tested as a moisturiser and deemed to improve skin hydration. Microbiology efficacy studies of the Antimicrobial hand Rub and hand rub conducted by AMS Laboratories in Sydney, Australia. Rub has 'passed' the EN 1500 hand rub study, and the TGA option D topical skin antiseptic study. 					
Information Only	 This product is regulated as an Over-The-Counter (OTC) drug under the Federal Food, Drug, and Cosmetics Act and complies with FDA regulations. AMS Laboratories Pty Ltd are licensed for analysis and testing by the Australian Therapeutic Goods Administration (Licence No. MI-15112007-LI-002191-11), Australian Pesticides & Veterinary Medicines Authority (Licence No. 6139), and accredited by NATA to ISO 17025:2005 (Accreditation No: 15773) 					
Literature & References	Australian Government - National Occupational Health and Safety Commission Web Site www.nohsc.gov.au National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011 (2003)] National Code of Practice for the Labelling of Workplace Substances [NOHSC:2012 (1994)] Dermatest - Technical Consultancy Services Pty Ltd 20 King St Rockdale NSW 2216 Australia AMS Laboratories Pty Ltd - 8 Rachael Close Silverwater NSW 2128Australia List of Designated Hazardous Substances [NOHSC:10005 (1999)] Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)] 3rd Edition Storage and Handling of Workplace Dangerous Goods [NOHSC:2017 (2001)] Australian Government – Department of Transport and Regional Services Web Site http://www.dotars.gov.au/index.htm http://www.dotars.gov.au/transreg/dgoods.htm					
	ADG Code based on the 'UN Recommendations on the Transport of Dangerous Goods - Model Regulations' Australian Government – Attorney-General's Department ROAD TRANSPORT REFORM (DANGEROUS GOODS) ACT 1995 http://scaleplus.law.gov.au/html/pasteact/2/1187/top.htm NOHSC Online Hazardous Substances Information System http://hsis.ascc.gov.au/Default.aspx Australian Standards AS 1940-1993 The storage and handling of flammable and combustible liquids					
	United Nations ADN 2005 (The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)					



http://www.unece.org/trans/danger/adnreg2005.html

United Nations ADR 2005 (The European Agreement concerning the International Carriage of Dangerous Goods by Road)

http://www.unece.org/trans/danger/publi/adr/adr e.html

UN Recommendations on the Transport of Dangerous Goods. Model Regulations. Thirteenth revised edition.

http://www.unece.org/trans/danger/publi/unrec/rev13/13files e.html

Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008 (1995)] 3rd Edition (Updated for Amendments)

http://www.nohsc.gov.au/OHSInformation/NOHSCPublications/fulltext/docs/h3/34.htm

Australian Inventory of Chemical Substances http://www.nicnas.gov.au/obligations/aics/

CSR Distilleries Operations Pty. Ltd. Material Safety Data Sheet Ethanol 03/2005.

Legend ACGIH American Conference of Governmental ICL In-Commerce List (Canada) Industrial Hygienists IMO International Maritime Organization CAA Clean Air Act N/A Not Applicable CAS Chemical Abstract Service NDSL Non-Domestic Substances List (Canada) CERCLA CERCLA Hazardous Substances N/E Not Established CFR Code of Federal Regulations NTP National Toxicology Program DOT Department of Transportation OSHA Occupational Safety & Health Administration DSL Domestic Substances List (Canada) PEL Permissible Exposure Limits EINECS European Inventory of Existing RCRA Resource Conservation and Recovery Act Chemical Substances SARA Superfund Amendments and Reauthorizations Act EPA Environmental Protection Agency TLV Threshold Limit Values FDA Food and Drug Administration TQ Threshold Quantities HPA Hazardous Products Act (Canada) TWA Time Weighted Average IARC International Agency for Research on Cancer VOC Volatile Organic Compounds IATA International Air Transport Association WHMIS Workplace Hazardous Materials Information System.

SDS formatted to Globally Harmonized System.

Elyptol Inc.

2500 Broadway

Suite F-125

Santa Monica, CA 90404

www.elyptol.com

Contact Information

The information contained in this material safety data sheet was obtained from current and reliable sources. It is the user's responsibility to use the products as directed by the labelling. Please use as directed, in order to determine safe conditions for use of these products. The user will assume for loss, injury, damage or expense resulting from any improper use of these products. Products is flammable due to alcohol content and for external use only.